



China

Report No. 48.400.20.7664.00-00/01
Dated 2020-08-14

Technical Report

Client: Jiangsu Acrel Electric MFG. Co., Ltd.
No. 5, Dongmeng Road, Nanzha Street, Jiangyin, Jiangsu, P. R. China

Contact person: Han Zhonghua

Test object: The submitted samples were received and described by client as:
Product Name: DC energy meter/直流电能表
Model: DJSF1352-RN
Product picture refer to the APPENDIX I

Tested sample description: Refer to next page(s).

Test specification: 2011/65/EU (RoHS) Directive and 2015/863/EU (RoHS amendment) Directive
Test with reference to EN 62321-1:2013, EN 62321-2:2014, EN 62321-3-1:2014, EN 62321-4:2014, EN 62321-5:2014, EN 62321-6:2015, EN 62321-7-1:2015, EN 62321-7-2:2017 and EN 62321-8:2017.

Test result: Refer to the data listed in following pages

Conclusion: With regard to the data of tested components, the requirements of Directive 2011/65/EU (RoHS) and 2015/863/EU are **complied**.

Remarks:

1. The tested samples were identified and appointed by client.
2. The result relates only to the items tested.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01
Dated 2020-08-14

1 Order

1.1 Date of Order:

2020-07-29

1.2 Receipt Date of Test Sample:

2020-07-29

1.3 Date of Testing:

2020-07-29 – 2020-08-12

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

2. Description of the tested specimen

Sample No.	Result	Description (Material, colour)	Photograph/Location
01	Pass	Chip resistor, black	
02	Pass	Chip resistor, black	
03	Pass	Chip capacitor, yellow	
04	Pass	Chip capacitor, yellow	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
05	Pass	Chip IC, black	
06	Pass	Chip CPU, black	
07	Pass	Chip IC, black	
08	Pass	Chip IC, black	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.20.7664.00-00/01
 Dated 2020-08-14



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
09	Pass	Chip diode, black	
10	Pass	Chip shine diode, white	
11	Pass	Chip triode, black	
12	Pass	Chip crystal, silvery	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
13	Pass	Chip plug, black, plastic	
14	Pass	Pin, silvery, copper alloy	
15	Pass	PCB, green, plastic	
16	Pass	Screen, dark, glass	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
17	Pass	Pin, silvery, copper alloy	
18	Pass	Film, transparent, plastic	
19	Pass	Component, green, plastic	
20	Pass	Film, transparent, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
21	Pass	Board, transparent, plastic	
22	Pass	Film, white, plastic	
23	Pass	Component, black, plastic	
24	Pass	PCB, white, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
25	Pass	Pin, silvery, copper alloy	
26	Pass	Frame, black, plastic	
27	Pass	Piece, silvery, metal	
28	Pass	Button, black, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
29	Pass	Shell, silvery, metal	
30	Pass	Chip resistor, black	
31	Pass	Chip resistor, black	
32	Pass	Chip resistor, black	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
33	Pass	Chip capacitor, yellow	
34	Pass	Chip IC, black	
35	Pass	Chip IC, black	
36	Pass	Chip diode, brown	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
37	Pass	Chip diode, black	
38	Pass	Chip crystal, silvery, metal	
39	Pass	Pin, silvery, copper alloy	
40	Pass	Cushion, black, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
41	Pass	Chip optocoupler, black	
42	Pass	Pin, silvery, copper alloy	
43	Pass	Relay shell, white, plastic	
44	Pass	Pin, silvery, copper alloy	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
45	Pass	Resin, black	
46	Pass	Frame, white, plastic	
47	Pass	Piece, golden, copper alloy	
48	Pass	Frame, black, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
49	Pass	Wire, golden, copper alloy	
50	Pass	Piece, silvery, copper alloy	
51	Pass	Plug, green, plastic	
52	Pass	Pin, silvery, copper alloy	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
53	Pass	Shell, black, plastic	
54	Pass	Pin, silvery, copper alloy	
55	Pass	Resin, black	
56	Pass	PCB, green, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
57	Pass	Solder, silvery, alloy	
58	Pass	Shell, silvery, metal	
59	Pass	Rubber, black	
60	Pass	Film, brown, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
61	Pass	Pin, silvery, copper alloy	
62	Pass	Frame, black, plastic	
63	Pass	Chip IC, black	
64	Pass	Chip IC, black	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
65	Pass	Chip IC, black	
66	Pass	Chip Rectifier, black	
67	Pass	Chip diode, black	
68	Pass	Chip fuse, black	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:





Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368

Sample No.	Result	Description (Material, colour)	Photograph/Location
69	Pass	Pin, silvery, copper alloy	
70	Pass	Capacitor cover, black, plastic	
71	Pass	Shell, silvery, metal	
72	Pass	Rubber, black	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:





Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
73	Pass	Film, brown, plastic	
74	Pass	Capacitor, blue, plastic	
75	Pass	Pin, silvery, copper alloy	
76	Pass	Chip IC, black	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
77	Pass	Pin, silvery, copper alloy	
78	Pass	Frame, black, plastic	
79	Pass	Pin, silvery, copper alloy	
80	Pass	Tape, yellow, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
81	Pass	Tape, white, plastic	
82	Pass	Wire, golden, copper alloy	
83	Pass	Magnet ring, black	
84	Pass	Piece, golden, copper alloy	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.20.7664.00-00/01
 Dated 2020-08-14



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
85	Pass	Varnish layer, yellow	
86	Pass	Wire jacket, transparent, plastic	
87	Pass	Jacket, yellow, plastic	
88	Pass	Piece, silvery, copper alloy	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
 10 Huaxia Road(M), Dongting, Wuxi
 Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
 No.1999 Duhui Road
 Shanghai City

Tel.: +86-510-88203737
 Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
89	Pass	Frame, black, plastic	
90	Pass	Pin, golden, copper alloy	
91	Pass	Buckle, white, plastic	
92	Pass	Box, yellow, paper	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn





Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
93	Pass	Bag, transparent, plastic	
94	Pass	Component, black, plastic	
95	Pass	Shell, grey white, plastic	
96	Pass	Button, grey, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn


Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Sample No.	Result	Description (Material, colour)	Photograph/Location
97	Pass	Window, transparent, plastic	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

3. Test Results

3.1 ED-XRF Spectrometer test for total Cadmium, Chromium, Mercury, Lead and Bromine according to EN 62321-3-1:2014

Criteria of XRF test results

Pass:

Because of the nature of the testing procedure (caused by the uncertainty of the used, XRF method), a definite pass is given only if the XRF test score is less than 60% of the respective RoHS limit.

Inconclusive:

If the XRF test score is between 60% and 150% of the respective RoHS limit, further chemical test on the sample is required.

Fail:

A definite FAIL is given if the XRF test score is above 150% of the respective RoHS limit

***Explanation for RoHS limit**

Regarding Chromium and Bromine, the XRF test score shows the total Chromium and the total Bromine, but the RoHS limit of 1000 mg/kg, according to the directive 2011/65/EU, is only for Hexavalent Chromium and Brominated Flame Retardants. Therefore, if the XRF test result for the total Chromium and the total Bromine is more than 600 mg/kg and 300 mg/kg respectively, further analytical tests are necessary to find out the exact amount of Hexavalent Chromium and Brominated Flame Retardants

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
01	<30	<30	<30	<30	<30	Pass
02	<30	1809***	<30	221	<30	Pass
03	<30	<30	<30	<30	<30	Pass
04	<30	<30	<30	<30	<30	Pass
05	<30	<30	<30	<30	<30	Pass
06	<30	<30	<30	<30	<30	Pass
07	<30	<30	<30	<30	4252	Inconclusive
08	<30	87	<30	<30	<30	Pass
09	<30	<30	<30	<30	<30	Pass
10	<30	<30	<30	<30	<30	Pass
11	<30	<30	<30	<30	<30	Pass
12	<30	<30	<30	395	<30	Pass
13	<30	<30	<30	416	53972	Inconclusive
14	<30	<30	<30	74929	--	Inconclusive

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
15	<30	<30	<30	<30	35322	Inconclusive
16	<30	<30	<30	<30	<30	Pass
17	<30	62	<30	39	--	Pass
18	<30	<30	<30	<30	<30	Pass
19	<30	<30	<30	<30	<30	Pass
20	<30	<30	<30	<30	<30	Pass
21	<30	<30	<30	<30	<30	Pass
22	<30	<30	<30	<30	<30	Pass
23	<30	<30	<30	<30	<30	Pass
24	<30	<30	<30	<30	11631	Inconclusive
25	<30	92	<30	142	--	Pass
26	<30	<30	<30	<30	<30	Pass
27	<30	45	<30	77297	--	Inconclusive
28	<30	<30	<30	50	103	Pass
29	<30	57	<30	108	--	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
30	<30	2520***	<30	283	<30	Pass
31	<30	3407***	<30	273	<30	Pass
32	<30	2507***	<30	594	<30	Pass
33	<30	<30	<30	<30	<30	Pass
34	<30	<30	<30	<30	<30	Pass
35	<30	<30	<30	<30	<30	Pass
36	59	32370***	<30	55	<30	Pass
37	<30	<30	<30	<30	<30	Pass
38	<30	<30	<30	<30	--	Pass
39	<30	214	<30	<30	--	Pass
40	<30	<30	<30	<30	<30	Pass
41	<30	<30	<30	<30	11296	Inconclusive
42	<30	<30	<30	31	--	Pass
43	<30	<30	<30	42	43940	Inconclusive
44	<30	83	<30	146	--	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
45	59	<30	<30	<30	2011	Inconclusive
46	<30	<30	<30	<30	47828	Inconclusive
47	<30	<30	<30	45	--	Pass
48	<30	<30	<30	32	41	Pass
49	<30	45	<30	64	--	Pass
50	<30	<30	<30	<30	--	Pass
51	<30	<30	<30	<30	55559	Inconclusive
52	<30	35	<30	32	--	Pass
53	<30	<30	<30	<30	<30	Pass
54	<30	127	<30	136	--	Pass
55	<30	<30	<30	<30	<30	Pass
56	<30	<30	<30	<30	16140	Inconclusive
57	<30	373	<30	146	--	Pass
58	<30	<30	<30	49	--	Pass
59	<30	<30	<30	54	<30	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
60	<30	<30	<30	50	<30	Pass
61	<30	53	<30	<30	--	Pass
62	<30	<30	<30	<30	<30	Pass
63	<30	<30	<30	<30	9902	Inconclusive
64	<30	<30	<30	<30	<30	Pass
65	<30	<30	<30	<30	<30	Pass
66	<30	103	<30	<30	<30	Pass
67	<30	212	<30	<30	<30	Pass
68	<30	<30	<30	<30	<30	Pass
69	51	<30	<30	31	--	Pass
70	<30	<30	<30	<30	<30	Pass
71	<30	<30	<30	55	--	Pass
72	<30	<30	<30	<30	<30	Pass
73	<30	<30	<30	<30	<30	Pass
74	<30	<30	<30	<30	32	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
75	<30	<30	<30	128	--	Pass
76	<30	<30	<30	<30	<30	Pass
77	<30	<30	<30	<30	--	Pass
78	<30	<30	<30	<30	47	Pass
79	<30	182	<30	127	--	Pass
80	<30	<30	<30	<30	88	Pass
81	<30	<30	<30	<30	154	Pass
82	<30	112	<30	<30	--	Pass
83	<30	<30	<30	167	--	Pass
84	<30	<30	<30	<30	--	Pass
85	<30	493	<30	<30	41	Pass
86	<30	<30	<30	<30	<30	Pass
87	<30	<30	<30	<30	<30	Pass
88	<30	75	<30	85220	--	Inconclusive
89	<30	<30	<30	35	51856	Inconclusive

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
90	<30	<30	<30	<30	--	Pass
91	<30	<30	<30	<30	<30	Pass
92	<30	<30	<30	<30	<30	Pass
93	<30	<30	<30	<30	<30	Pass
94	<30	<30	<30	<30	<30	Pass
95	<30	<30	<30	<30	<30	Pass
96	<30	<30	<30	<30	<30	Pass
97	<30	<30	<30	<30	<30	Pass

Remark:

1. "<" means "less than".
2. "mg/kg" denotes "milligram per kilogram".
3. With regard to the stoichiometry of Br in PBBs and PBDEs, the lower limit for Br is set at 300 mg/kg.
4. "--" means the substance for this sample are not tested.
5. "***" means the result is exempted according to 2011/65/EU ANNEX item 7(c)-I: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

3.2 Wet chemical test

Main instruments used for wet chemical test

Testing Target	Instrument	Method
Lead & Cadmium	ICP-OES	EN 62321-5:2014
Mercury	ICP-OES	EN 62321-4:2014
Hexavalent Chromium	UV-Vis	EN 62321-7-1:2015 EN 62321-7-2:2017
PBBs & PBDEs	GC/MS	EN62321-6:2015
DEHP, BBP, DBP & DIBP	GC/MS	EN 62321-8:2017

Criteria of chemical test results

Pass:

A definite Pass is given If the chemical test result meets the requirements of RoHS.

Fail:

A definite Fail is given If the chemical test result exceeds the full respective RoHS limit.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Test Sample	Cadmium [mg/kg]	Lead [mg/kg]	Mercury [mg/kg]	Chromium# (VI) [mg/kg]	PBBs (Sum) [mg/kg]	PBDEs (Sum) [mg/kg]	OVERALL RESULT
Limit	100	1000	1000	§	1000	1000	
14	--	--	--	Negative	--	--	Pass
27	--	--	--	Negative	--	--	Pass
88	--	--	--	Negative	--	--	Pass

Remark:

1. "--" means the substance for this sample are not tested.
2. "mg/kg" denotes "milligram per kilogram"
3. "§" The Chromium (VI) content in surface layer have been confirmed with reference to EN 62321-7-1:2015

Result	Chromium (VI) concentration	Qualitative result
Negative	$<0.1\mu\text{g}/\text{cm}^2$	The sample is negative for Cr(VI). The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.
Inconclusive	$\geq 0.1\mu\text{g}/\text{cm}^2$ and $\leq 0.13\mu\text{g}/\text{cm}^2$	The result is considered to be inconclusive. Unavoidable coating variations may influence the determination. Recommendation: if additional samples are available, perform a total of 3 trials to increase sampling surface area. Use the averaged result of the 3 trials for the final determination.
Positive	$>0.13\mu\text{g}/\text{cm}^2$	The sample is positive for Cr(VI). Concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Test Sample	Cadmium [mg/kg]	Lead [mg/kg]	Mercury [mg/kg]	Chromium (VI) [mg/kg]	PBBs (Sum) [mg/kg]	PBDEs (Sum) [mg/kg]	OVERALL RESULT
Limit	100	1000	1000	1000	1000	1000	
07	--	--	--	--	<50	<50	Pass
13	--	--	--	--	<50	<50	Pass
15	--	--	--	--	<50	<50	Pass
24	--	--	--	--	<50	<50	Pass
41	--	--	--	--	<50	<50	Pass
43	--	--	--	--	<50	<50	Pass
45	--	--	--	--	<50	<50	Pass
46	--	--	--	--	<50	<50	Pass
51	--	--	--	--	<50	<50	Pass
56	--	--	--	--	<50	<50	Pass
63	--	--	--	--	<50	<50	Pass
89	--	--	--	--	<50	<50	Pass

Remark:

1. ND = Not detected (Detected limit of Cd :2mg/kg;Pb, Hg, and Cr(VI):5mg/kg; PBBs and PBDEs: 5mg/kg)
2. "mg/kg" denotes "milligram per kilogram".
3. "--" means the substance for this sample are not tested.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14



China

Test Sample	DEHP [mg/kg]	DBP [mg/kg]	BBP [mg/kg]	DIBP [mg/kg]	RESULT
Limit	1000	1000	1000	1000	
01+02+03	<200	<200	<200	<200	Pass
04+05+06	<200	<200	<200	<200	Pass
07+08+09	<200	<200	<200	<200	Pass
10+11+12	<200	<200	<200	<200	Pass
13+15+16	<200	<200	<200	<200	Pass
18+19+20	<200	<200	<200	<200	Pass
21+22+23	<200	<200	<200	<200	Pass
24+26+28	<200	<200	<200	<200	Pass
30+31+32	<200	<200	<200	<200	Pass
33+34+35	<200	<200	<200	<200	Pass
36+37+40	<200	<200	<200	<200	Pass
41+43+45	<200	<200	<200	<200	Pass
46+48+51	<200	<200	<200	<200	Pass
53+55+56	<200	<200	<200	<200	Pass
59+60+62	<200	<200	<200	<200	Pass
63+64+65	<200	<200	<200	<200	Pass
66+67+68	<200	<200	<200	<200	Pass
70+72+73	<200	<200	<200	<200	Pass
74+76+78	<200	<200	<200	<200	Pass
80+81+85	<200	<200	<200	<200	Pass
86+87+89	<200	<200	<200	<200	Pass
91+92+93	<200	<200	<200	<200	Pass
94+95+96	<200	<200	<200	<200	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14



China

Test Sample	DEHP [mg/kg]	DBP [mg/kg]	BBP [mg/kg]	DIBP [mg/kg]	RESULT
97	<200	<200	<200	<200	Pass

Remark:

1. < means "less than"
2. "mg/kg" denotes "milligram per kilogram".
3. DEHP = Di-(2-ethyl-hexyl)phthalate, DBP = Di-butyl phthalate
BBP = Butyl-benzyl phthalate, DIBP = Di-iso-butyl phthalate

TÜV SÜD Certification and Testing (China) Co., Ltd.

Prepared by:



Mr. Guo XU

Checked by:



Mr. Feng ZHANG

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368




China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

APPENDIX I: Product Model

Product: DC energy meter/直流电能表	Test model: DJSF1352-RN
	

Remark:

1. The report covers material testing on specified samples.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-21-60376368

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14



APPENDIX II: Official Exemption Items

Below items are quoted based on Directives of 2011/65/EU and its valid Amending Directives.

Exemption		Scope and dates of applicability
1	Mercury in single capped (compact) fluorescent lamps not exceeding (per burner)	
1(a)	For general lighting purpose < 30 W:5mg	Expires on 31 December 2011; 3,5mg maybe used per burner after 31 December 2011 until 31 December 2012; 2.5mg shall be used per burner after 31 December 2012
1(b)	For general lighting purposes ≥ 30 W and < 50 W:5mg	Expires on 31 December 2011; 3,5mg maybe used per burner after 31 December 2011 until 31 December 2012; 2.5mg shall be used per burner after 31 December 2012
1(c)	For general lighting purposes ≥ 50 W and < 150 W:5mg	
1(d)	For general lighting purpose ≥ 30 W and ≥ 150 W:15mg	
1(e)	For general lighting purpose with circular or square structural shape and tube diameter < 17mm	No limitation of use until 31 December 2011; 7 mg may be used per burner after 31 December 2011
1(f)	For special purposes:5mg	
2(a)	Mercury in double capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp)	
2(a)(1)	Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e.g. T2): 5mg	Expires on 31 December 2011; 4mg may be used per lamp after 31 December 2011
2(a)(2)	Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm and ≤ 17 mm (e.g. T5): 5mg	Expires on 31 December 2011; 3mg may be used per lamp after 31 December 2011
2(a)(3)	Tri-band phosphor with normal lifetime and a tube diameter > 17 mm and ≤ 28 mm (e.g. T8): 5mg	Expires on 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
2(a)(4)	Tri-band phosphor with normal lifetime and a tube diameter > 28mm (e.g. T12): 5mg	Expires on 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
2(a)(5)	Tri-band phosphor with long lifetime (≥ 25 000h):8mg	Expires on 13 December 2011; 5mg may be used per lamp after 31 December 2011
2(b)	Mercury in other fluorescent lamps not exceeding (per lamp):	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Exemption		Scope and dates of applicability
2(b)(1)	Linear halophosphate lamps with tube >28 mm(e.g.T10 and T12): 10mg	Expires on 13 April 2012
2(b)(2)	Non-linear halophosphate lamps (all diameters):15mg	Expires on 13 April 2016
2(b)(3)	Non-linear tri-band phosphor lamps with tube diameter >17mm (e.g. T9)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
2(b)(4)	Lamps for other general lighting and special purposes (e.g. induction lamps)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
3	Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp)	
3(a)	Short length(≤ 500 mm)	No limitation of use until 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
3(b)	Medium length (> 500mm and $\leq 1\ 500$ mm)	No limitation of use until 31 December 2011; 5 mg may be used per lamp after 31 December 2011
3(c)	Long length (> 1 500mm)	No limitation of use until 31 December 2011; 13 mg may be used per lamp after 31 December 2011
4(a)	Mercury in other low pressure discharge lamps (per lamp)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
4(b)	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra >60;	
4(b)-I	P ≤ 155 W	No limitation of use until 31 December 2011; 30mg may be used per burner after 31 December 2011
4(b)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011
4(b)-III	P > 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011
4(c)	Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner)	
4(c)-I	P ≤ 155 W	No limitation of use until 31 December 2011; 30mg may be used per burner after 31 December 2011
4(c)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14



China

Exemption		Scope and dates of applicability
4(c)-III	P > 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011
4(d)	Mercury in High Pressure Mercury (vapour) lamps (HPMV)	Expires on 13 April 2015
4(e)	Mercury in metal halide lamps (MH)	
4(f)	Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex	
4(g)	Mercury in hand crafted luminous discharge tubes used for signs, decorative or architectural and specialist lighting and light-artwork, where the mercury content shall be limited as follows: (a) 20 mg per electrode pair + 0,3 mg per tube length in cm, but not more than 80 mg, for outdoor applications and indoor applications exposed to temperatures below 20 °C; (b) 15 mg per electrode pair + 0,24 mg per tube length in cm, but not more than 80 mg, for all other indoor applications.	Expires on 1 December 2018
5(a)	Lead in glass of cathode ray tubes	
5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight	
6(a)	Lead as an alloying element in steel for machining purposes and in galvanised steel containing up to 0,35 % lead by weight	Expires on: — 21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments; — 21 July 2023 for category 8 in vitro diagnostic medical devices; — 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight	Expires on 21 July 2021 for categories 1-7 and 10.'
6(b)	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight	Expires on: — 21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, — 21 July 2023 for category 8 in vitro diagnostic medical devices, — 21 July 2024 for category 9 industrial monitoring and control instruments, and for

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14



China

Exemption		Scope and dates of applicability
		category 11.
6(b)-I	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling	Expires on 21 July 2021 for categories 1-7 and 10.
6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight	Expires on 18 May 2021 for categories 1-7 and 10.'
6(c)	Copper alloy containing up to 4 % lead by weight	Expires on: — 21 July 2021 for categories 1-7 and 10, — 21 July 2021 for categories 8 and 9 other than in vitro diag-nostic medical devices and industrial monitoring and control instruments, — 21 July 2023 for category 8 in vitro diagnostic medical de-vices, — 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.'
7(a)	Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)	Applies to categories 1-7 and 10 (except applications covered by point 24 of this Annex) and expires on 21 July 2021. For categories 8 and 9 other than in vitro diagnostic medical de-vices and industrial monitoring and control instruments expires on 21 July 2021. For category 8 in vitro diagnostic medical devices expires on 21 July 2023. For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.'
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications	
7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	Applies to categories 1-7 and 10 (except applications covered under point 34) and expires on 21 July 2021. For categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments expires on 21 July 2021. For category 8 in vitro diagnostic medical devices expires on 21 July 2023. For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.
7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14



China

Exemption		Scope and dates of applicability
7(c)-III	Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
7(c)-IV	Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors'	
8(a)	Cadmium and its compounds in one shot pellet type thermal cut-offs	Expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012
8(b)	Cadmium and its compounds in electrical contacts	
9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution	
9(b)	Lead in bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications	
11(a)	Lead used in C-press compliant pin connector systems	May be used in spare parts for EEE placed on the market before 24 September 2010
11(b)	Lead used in other than C-press compliant pin connector systems	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
12	Lead as a coating material for the thermal conduction module C-ring	May be used in spare parts for EEE placed on the market before 24 September 2010
13(a)	Lead in white glasses used for optical applications	
13(b)	Cadmium and lead in filter glasses and glasses used for reflectance standards	
14	Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 % and less than 85 % by weight	Expires on 1 January 2011 and after that date may be used in spare parts for EEE placed on the market before 1 January 2011
15	Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages	
16	Lead in linear incandescent lamps with silicate coated tubes	Expires on 1 September 2013
17	Lead halide as radiant agent in high intensity discharge (HID) lamps used for professional reprography applications	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14



China

Exemption		Scope and dates of applicability
18(a)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as speciality lamps for diazoprinting reprography, lithography, insect traps, photochemical and curing processes containing phosphors such as SMS ((Sr,Ba)2MgSi2O7:Pb)	Expires on 1 January 2011
18(b)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP(BaSi 2O5 :Pb)	Categories 1-7 and 10, Expires on 21 July 2021
		Categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, Expires on 21 July 2021
		Category 8 in vitro diagnostic medical devices, Expires on 21 July 2023
		Category 9 industrial monitoring and control instruments, and for category 11, Expires on 21 July 2024
18(b)-I	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps containing phosphors such as BSP (BaSi2O5:Pb) when used in medical phototherapy equipment	Categories 5 and 8, excluding applications covered by entry 34 of Annex IV, Expires on 21 July 2021
19	Lead with PbBiSn-Hg and PblnSn-Hg in specific compositions as main amalgam and with PbSn-Hg as auxiliary amalgam in very compact energy saving lamps (ESL)	Expires on 1 June 2011
20	Lead oxide in glass used for bonding front and rear substrates of flat fluorescent lamps used for Liquid Crystal Displays (LCDs)	Expires on 1 June 2011
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	
23	Lead in finishes of fine pitch components other than connectors with a pitch of 0,65 mm and less	May be used in spare parts for EEE placed on the market before 24 September 2010
24	Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors	Expires on: — 21 July 2021 for categories 1-7 and 10, — 21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, — 21 July 2023 for category 8 in vitro diagnostic medical devices, — 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.'
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring	
26	Lead oxide in the glass envelope of black light blue lamps	Expires on 1 June 2011

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Exemption		Scope and dates of applicability
27	Lead alloys as solder for transducers used in high-powered (designated to operate for several hours at acoustic power levels of 125 dB SPL and above) loudspeakers	Expired on 24 September 2010
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC (1)	
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more	
31	Lead in soldering materials in mercury free flat fluorescent lamps (which e.g. are used for liquid crystal displays, design or industrial lighting)	
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes	
33	Lead in solders for the soldering of thin copper wires of 100 um diameter and less in power transformers	
34	Lead in cermet-based trimmer potentiometer elements	Applies to all categories; expires on: — 21 July 2021 for categories 1-7 and 10, — 21 July 2021 for categories 8 and 9 other than in vitro diag-nostic medical devices and industrial monitoring and control instruments, — 21 July 2023 for category 8 in vitro diagnostic medical de-vices, — 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.'
36	Mercury used as a cathode sputtering inhibitor in DC plasma displays with a content up to 30 mg per display	Expired on 1 July 2010
37	Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body	
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide	
39(a)	Cadmium selenide in downshifting cadmium-based semiconductor nanocrystal quantum dots for use in display lighting applications (< 0,2 µg Cd per mm2 of display screen area)	Expires for all categories on [two years after the publication of the Delegated Directive in the Official Journal]
40	Cadmium in photoresistors for analogue optocouplers applied in professional audio equipment	Expires on 31 December 2013
41	Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted	Expires on 1 December 2018

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368



China

Report No. 48.400.20.7664.00-00/01

Dated 2020-08-14

Exemption		Scope and dates of applicability
	directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council.	
42	Lead in bearings and bushes of diesel or gaseous fuel powered internal combustion engines applied in non-road professional use equipment: with engine total displacement \geq 15 litres; or with engine total displacement $<$ 15 litres and the engine is designed to operate in applications where the time between signal to start and full load is required to be less than 10 seconds; or regular maintenance is typically performed in a harsh and dirty outdoor environment, such as mining, construction, and agriculture applications.	Category 11, excluding applications covered by entry 6(c) of Annex III, Expires on 21 July 2024
43	Bis(2-ethylhexyl) phthalate in rubber components in engine systems, designed for use in equipment that is not intended solely for consumer use and provided that no plasticised material comes into contact with human mucous membranes or into prolonged contact with human skin and the concentration value of bis(2-ethylhexyl) phthalate does not exceed: (a) 30 % by weight of the rubber for (i) gasket coatings; (ii) solid-rubber gaskets; or (iii) rubber components included in assemblies of at least three components using electrical, mechanical or hydraulic energy to do work, and attached to the engine. (b) 10 % by weight of the rubber for rubber-containing components not referred to in point (a). For the purposes of this entry, "prolonged contact with human skin" means continuous contact of more than 10 minutes duration or intermittent contact over a period of 30 minutes, per day.	Applies to category 11 and expires on 21 July 2024.
44	Lead in solder of sensors, actuators, and engine control units of combustion engines within the scope of Regulation (EU) 2016/1628 of the European Parliament and of the Council (*1), installed in equipment used at fixed positions while in operation which is designed for professionals, but also used by non-professional users	Applies to category 11 and expires on 21 July 2024.

--END OF REPORT--

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
10 Huaxia Road(M), Dongting, Wuxi
Jiangsu, 214100, P. R. China

Shanghai Chemical Lab
No.1999 Duhui Road
Shanghai City

Tel.: +86-510-88203737
Fax: +86-510-88203636
www.tuv-sud.cn
info@tuv-sud.cn

Tel.: +86-21-60376368